



Timeless design. Tailored to your needs.



3.OG	Cafeteria Speisesaal Terrasse Verwaltung WC III					
2.0G	WC 112 Behandlungsraum 1-2 Pflegestützpunkt Vortragsraum Zimmer 201-227 Zimmer 228-254 WC 1110		3		-	ALL ROOM A COMP
1.OG	 Wohlfühlbad Pflegestützpunk t Zimmer 101-127 Zimmer 128-154 WC 116 					
EG	Haupteingang Wartebereich 1 Massage 1-7 Softpack Therapie Therapiebecken WC IIIA Rezeption Wartebereich 2 Anamnese 1-2 Diagnostik 1-2 Arzt 1-2 Therapiestützpunkt Wartebereich 3 Leistungsdiagnose Ergotherapie u. Diatologie Elektrotherapie Physiotherapie 1-3 Gymnastikraum Med. Trainingstherapie Funktionstraining Gruppentherapie Psychologie WC IIIA					No. of the second se
1.UG	Tiefgarage Kassenautomat					
				1		

Combiflex Mero – a system designed for endurance

Combiflex Mero excels through the unobtrusive slimness of its signs. Delicate sections made of anodised aluminium and a non-glare acrylic glass cover provide the modern and elegant touch of the Mero design. From door signs to small signposts – Combiflex Mero ensures continuity in room signage.





The benefits of Mero

- Elegant and delicate structure, clear lines
- Very narrow frame all around, made of silver-anodised aluminium
- Non-glare acrylic cover
- Simple to replace signage
- Flexibility by do-it-yourself signage
- Available in DIN formats up to A3
- Simple wall mounting
- Retention guard (optional)
- Various sizes can be combined

Use – flexible for indoor areas

Customised signage by way of paper inserts and a large range of sizes make Combiflex Mero suitable for many applications. The system makes for quick and easy production of door signs, sign posts and escape route panels.

BEHAVIOR IN CASE OF FIRE | KEEP CALM

IALTEN IM BRANDFALL (ROME ØFWAHRE)



1g. Fritz Mayor

Teeküche

leeküche

FLUCHT- UND RETTUNGSPLAN

ļ

VERHALTEN IM BRANDFALL

1 Alarmieren Feuerwehr verständigen über NOTRUF 122

Gib at: wo brennt es? (Adresse) was brennt? Personen gefährdet?

2 Retten Gefährdeten Hilfe leisten Aufzüge nicht benützen

Fluchthinweise beachten Gebäude in Ruhe verlassen Sammelstelle:

3 Löschen Beauftragte Personen:

Löscheinrichtungen benützen Feuerwehr einweisen Räumungsalarm:


(Alarmzeichen angeben)

(матлестал алдерал) Räumungsalarm: Feverwohr orrweisen

For people provide people of



Change of content – quick and easy



Flexibility by do-it-yourself signage

With Combiflex Mero changing the sign content is a matter of seconds. Simply pull up the top section and acrylic glass, put in the new insert and fit them back on.

Retention guard (optional)



Long slot holes in the back facilitate mounting.

Combiflex Mero is available in the following sizes:

Paper dimensions* (width x height)	Article no. without retention guard	Article no. with retention guard				
105 mm x 148 mm (A6 portrait)	IP3 121 212	IP3S 121 212 **				
105 mm x 297 mm	IP3 161 616	IP3S 161 616 **				
148 mm x 105 mm (A6 landscape)	IP3 212 121	IP3S 212 121				
148 mm x 148 mm	IP3 222 222	IP3S 222 222				
148 mm x 210 mm (A5 portrait)	IP3 242 424	IP3S 242 424				
148 mm x 297 mm	IP3 262 626	IP3S 262 626				
200 mm x 200 mm	IP3 333 333	IP3S 333 333				
200 mm x 400 mm	IP3 373 737	IP3S 373 737				
210 mm x 148 mm (A5 landscape)	IP3 424 242	IP3S 424 242				
210 mm x 297 mm (A4 portrait)	IP3 464 646	IP3S 464 646				
250 mm x 250 mm	IP3 555 555	IP3S 555 555				
297 mm x 105 mm	IP3 616 161	IP3S 616 161				
297 mm x 148 mm	IP3 626 262	IP3S 626 262				
297 mm x 210 mm (A4 landscape)	IP3 646 464	IP3S 646 464				
297 mm x 420 mm (A3 portrait)	IP3 686 868	IP3S 686 868				
400 mm x 200 mm	IP3 737 373	IP3S 737 373				
420 mm x 297 mm (A3 landscape)	IP3 868 686	IP3S 868 686				
Release key		IP3S 100 000				
* Outer sign dimensions = paper dimensions + 3 mm						

** supplied without long slot holes

Product range



Combiflex Meneo indoor signs



Combiflex CF 50 internally lit advertising signs



Advertising systems – vehicle signage, exhibition advertising, adhesive film and signs



Combiflex CF 40 outdoor signs



Combiflex CF 60 monument sign systems



Mobile and stationary shelving systems

For more information on our product range please visit www.forster.at

Products are subject to changes.





Forster Verkehrs- und Werbetechnik GmbH

A-3340 Waidhofen/Ybbs, Weyrer Straße 135,Phone +43 7442 501-0, Fax +43 7442 501-200 A-1230 Wien, Siebenhirtenstraße 40-42, Phone +43 1 6167585-0, Fax +43 1 6167585-33 A-5020 Salzburg, Michael-Walz-Gasse 24, Phone +43 662 827544, Fax +43 662 827544 -44 e-mail: forster@forster.at, www.forster.at FORSTER FF

L 58194 01/2014 A1